

**From:** BRITTAIN, ERIN  
**To:** Sarah Webb  
**Sent:** 6/20/2011 7:12:54 PM  
**Subject:** FW: West Vermont Street Drinking Water Site  
**Attachments:** 533.42.08\_FIG1\_OverlayFigures15B15C.pdf; 533.42.08\_FIG1\_VCIsocontoursIntermediateWaterBearingZone JGH.pdf

*Not sure if you've seen these ... will send more directly.*

*Erin Brittain  
Voluntary Remediation Program Project Manager  
Indiana Department of Environmental Management  
317/233-2991  
ebrittai@idem.IN.gov*

**From:** Czajka, Terri A [mailto:Terri.Czajka@icemiller.com]  
**Sent:** Friday, June 17, 2011 1:53 PM  
**To:** BRITTAIN, ERIN  
**Cc:** WEBB, COREY  
**Subject:** West Vermont Street Drinking Water Site

Good afternoon. Attached are the 2 figures that John Houser, on behalf of Allison Transmission, Inc., handed out at yesterday's meeting at EPA. Please let me know if you have any questions- Terri

Teri Czajka  
Ice Miller LLP  
317-236-2262

\*\*\*\*\*  
CIRCULAR 230 DISCLOSURE: Except to the extent that this advice concerns the qualification of any qualified plan, to ensure compliance with U.S. Treasury Department Regulations, we are now required to advise you that, unless otherwise expressly indicated, any federal tax advice contained in this communication, including any attachments, is not intended or written by us to be used, and cannot be used, by anyone for the purpose of avoiding federal tax penalties that may be imposed by the federal government or for promoting, marketing or recommending to another party any tax-related matters addressed herein.

CONFIDENTIALITY NOTICE:

This E-mail and any attachments are confidential and may be protected by legal privilege. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of this E-mail or any attachment is prohibited. If you have received this E-mail in error, please notify us immediately by returning it to the sender and delete this copy from your system. Thank you.  
ICE MILLER LLP

\*\*\*\*\*